

MATERIAL SAFETY DATA SHEET

Revised 5/08/2005

Silica Sand

Statement of Hazardous Nature

This product is classified as hazardous according to the criteria of the National Occupational Health and Safety Commission (NOHSC).

Enquiries

BENEDICT SAND & GRAVEL

ph: (02) 9986 3500
 fax: (02) 9986 3555
 0425 282 208 (emergency phone number)
 post: PO BOX 875 ST IVES NSW 2075

IMPORTANT NOTICE

This material Safety Data Sheet (MSDS) is issued by Benedict Sand & Gravel and Glass Granulates, in accordance with National Occupational Health and Safety Commission (NOHSC) guidelines. As such the information in it must not be altered, deleted or added to, Benedict Sand & Gravel and Glass Granulates will issue a new MSDS when there is a change in product specifications and/or NOHSC guidelines/regulations. Benedict Sand & Gravel and Glass Granulates will not accept any responsibility for any changes made to its MSDS by any other person or organisation.

Product Name	Silica Sand
Applicable in	Australia
Other Names	Washed Sand, Filling Sand, Brickies Sand, Turf Sand, Asphalt Sand, Concrete Sand, Bunker Sand, Topdressing Sand.
Manufacturers Product Code	Not Applicable
UN Number	None Allocated
Dangerous Goods Class & Subsidiary Risk	None Scheduled
Hazchem Code	None Allocated
Poisons Schedule Number	None Allocated

Uses

Used as filling sand, turf underlay, and as a fine aggregate in mortar and concrete.

MATERIAL SAFETY DATA SHEET

Silica Sand Contd.

Characteristics

PHYSICAL DESCRIPTION / PROPERTIES

Appearance	Granular Sand ranging in colour from tan to orange brown.
Boiling Point (°C)	Not Applicable
Melting Point (°C)	Not Applicable
Vapour Pressure	Not Applicable
Specific Gravity (H₂O=1)	2.0 – 3.0
Flashpoint	Not Applicable
Flammability Limits	Not Applicable
Solubility in Water	Insoluble
Auto-ignition Temperature (°C)	Does not auto-ignite
Odour Threshold	Normally no odour
pH, at Standard Concentration	Between 4.5 – 7.0
Molecular Weight	Not Determined

INGREDIENTS

Chemical Name	CAS Number	Proportion	Exposure Limits
Sand – Crystalline Silica (quartz)	14808-60-7	>95%	0.2 mg/m ³ TWA
Mineral and Organic Impurities	Various	<5%	

MATERIAL SAFETY DATA SHEET

Silica Sand Contd.

HEALTH HAZARD INFORMATION

Silica Sand is a granular sand used as a filling sand and turf underlay as well as a fine aggregate in mortar and concrete. The health hazards are mainly related to dust generated containing crystalline silica during handling. **Repeated inhalation of crystalline silica may cause serious illness (see Chronic Health Effects). Repeated inhalation of crystalline silica may add to or multiply the serious health effects caused by tobacco smoke.** Inhaling dust containing crystalline silica may cause scarring of the lung (silicosis), lung cancer, and chronic bronchitis, and may increase the risk of scleroderma (thickening of the connective tissue) and kidney disease (increased prevalence of renal abnormalities and end-stage renal disease from glomerulonephritis). It is therefore essential to avoid inhalation of dust.

HEALTH EFFECTS

Swallowed

Unlikely under normal conditions of use, but swallowing this product will result in abdominal discomfort.

Eye

Dust from this product may irritate the eyes causing watering and redness.

Skin

Silica Sand and dust may be irritating and abrasive to the skin.

Inhaled

The dust may irritate the nose, throat and respiratory tract.

HEALTH EFFECTS

Inhaled:

Repeated inhalation of silica sand dust containing crystalline silica may cause scarring of the lung (silicosis), lung cancer, and chronic bronchitis, and may increase the risk of scleroderma (thickening of the protective tissue) and kidney disease.

Studies have shown that smoking increases the risk of bronchitis, silicosis and lung cancer in persons exposed to crystalline silica.

FIRST AID

Swallowed

Give water to drink. Seek medical advice.

Eye

Flush eyes thoroughly with running water

Skin

Wash skin with soap and water

Inhaled

Remove to fresh air

Advice to Doctor

Treat symptomatically

MATERIAL SAFETY DATA SHEET

Silica Sand Contd.

PRECAUTIONS FOR USE

Exposure Standards	<p>Australian Occupational Exposure Standards (OES); (NOHSC 1003 National Exposure Standards): Exposures must be minimised to as low as reasonably practicable.</p> <p>Crystalline silica: All exposures must be minimised to as low as is reasonably practicable and in all situations to below 0.2 mg/cubic metre. It is recommended that levels of respirable crystalline silica be kept below 0.05mg/cubic metre.</p>
Engineering Controls	<p>Keep exposures to dust as low as practicable, with the aim of maintaining respirable dust levels to below 0.05 mg/m³ TWA (time-weighted average). Work in the open air and the opening of external openings (such as doors and windows in buildings) generally provides adequate ventilation. Local mechanical ventilation or extraction may be required in areas where dust could escape into the working environment.</p>
Ventilation	<p>None required if engineering and handling controls are adequate. If dust is generated, wear respiratory protection for particulates conforming to Australian Standards AS/NZS 1715 and 1716, category P1 or P2.</p>
Special Considerations for Repair/Maintenance	<p>Avoid breathing dust. Where possible vacuum or wash down gear, equipment or mobile plant prior to maintenance and repair work. If compressed air cleaning cannot be avoided, wear eye and respiratory protection and clothing as listed below.</p>
Personal Protection/ Skin Protection	<p>Wear loose comfortable clothing and gloves (standard duty leather or equivalent AS 2161: Industrial safety gloves and mittens). Wash work clothes regularly.</p>
Eye Protection	<p>Dust resistant non-fogging safety goggles or glasses (AS/NZS 1336: Recommended practices for eye protection in the industrial environment) should be worn if exposed to dust.</p>
Respiratory Protection	<p>None required if engineering and handling controls are adequate. If dust is generated, wear a P1 or P2 particulate respirator (dust mask) conforming with Australian Standards AS/NZS 1715: Selection, use and maintenance of respiratory protective devices and AS/NZS 1716: Respiratory protective devices when exposed to dust.</p>
Personal Hygiene	<p>Flush dust off skin with water or wash skin with mild soap and water after working with product.</p>
Flammability	<p>Silica Sand is not flammable, does not support combustion of other materials, and does not cause dust explosions.</p>

MATERIAL SAFETY DATA SHEET

Silica Sand Contd.

Storage And Transport	<p>SAFE HANDLING INFORMATION</p> <p>Avoid breathing and dust. Respirable particles can be generated during processing, handling, and storage. Use proper control measures including ventilation, enclosure of materials, covering loads on trucks, and wetting down material whilst in use.</p> <p>When stockpiling and handling large quantities of material, care should be taken to avoid having the faces of the stockpile steeper than the natural angle of repose of the material. Steep faces can fall without warning and trap persons resulting in injury and possible suffocation. When transporting by road, all loads should be covered.</p>
Spills and Disposal	<p>Spilled material should be wet down with water to reduce dust generation before cleanup. If unable to reuse or recycle, dispose of waste materials at an authorised landfill site in accordance with local authority guidelines. (see Ecological and Disposal Considerations)</p> <p>Care should be taken to prevent leakage of material into drains and other catchment areas.</p>
Fire/Explosion Hazard	<p>Silica sand is non-flammable and non-explosive.</p>
Smoking & Other Dust	<p>Benedict Sand & Gravel recommends that all work areas should be non-smoking areas.</p>
CONTACT POINT for further information	<p>BENEDICT SAND & GRAVEL ABN 99 073 763 292 ph: (02) 9986 3500 fax: (02) 9986 3555 email: sales@benedict.com.au web: www.benedict.com.au post: PO BOX 875 ST IVES NSW 2075</p>
Terms & Conditions	<p>Whilst the information contained in this document is based on data that, to the best of our knowledge, was accurate and reliable at the time of preparation, we can accept no responsibility for errors and omissions. The provision of this information should not be constructed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, we can accept no responsibility for any loss or damage caused by any person acting or refraining from action as a result of this information.</p>